

Datasheet for ABIN1326827

Cotinine ELISA Kit

19 Publications



Overview

Quantity:	96 tests
Target:	Cotinine
Reactivity:	Human
Method Type:	Competition ELISA
Application:	ELISA

Application:	ELISA
Product Details	
Purpose:	The Cotinine Blood Test kit is a solid phase competitive ELISA. The samples and Cotinine enzyme conjugate are added to the wells coated with anti-Cotinine antibody. Cotinine in the samples competes with a Cotinine enzyme (HRP) conjugate for binding sites. Unbound Cotinine and Cotinine enzyme conjugate is washed off by washing step. Upon the addition of the substrate, the intensity of color is inversely proportional to the concentration of Cotinine in the samples obtained with the Cotinine blood test. A standard curve is prepared relating color intensity to the concentration of the Cotinine.
Sample Type:	Saliva, Serum, Urine
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Target Details	
Target:	Cotinine
Abstract:	Cotinine Products

Target Details

Target Type:	Chemical
Background:	Exposure to tobacco smoke can be detected by measuring nicotine and its metabolites using a
	Cotinine test. Nicotine has a short half life and is not used as a marker for tobacco smoke
	exposure. Cotinine, due to its longer half life, has been used in research as a reliable marker for
	smoking status and smoking cessation studies. The Cotinine Blood Test Direct ELISA Kit is
	designed for the detection of Cotinine in serum and urine. It can also be adapted for other
	fluids.
Application Details	
Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	4 °C
Publications	
Product cited in:	Kim, Jeong, Ha, Park, Ha, Hong, Bhang, Lee, Lee, Lee, Kim, Kim, Chang: "Relationship between
	prenatal and postnatal exposures to folate and risks of allergic and respiratory diseases in early
	childhood." in: Pediatric pulmonology , Vol. 50, Issue 2, pp. 155-63, (2015) (PubMed).
	Long, Knudsen, Pedersen, Bonefeld-Jørgensen: "Food intake and serum persistent organic
	pollutants in the Greenlandic pregnant women: The ACCEPT sub-study." in: The Science of the
	total environment, Vol. 529, pp. 198-212, (2015) (PubMed).
	Ko, Chan, Siu, Shum, Leung, Zhang, Cho: "Deteriorating effect on bone metabolism and
	microstructure by passive cigarette smoking through dual actions on osteoblast and
	osteoclast." in: Calcified tissue international, Vol. 96, Issue 5, pp. 389-400, (2015) (PubMed).

Jamal, Van der Does, Penninx: "Effect of variation in BDNF Val(66)Met polymorphism, smoking, and nicotine dependence on symptom severity of depressive and anxiety disorders." in: **Drug and alcohol dependence**, Vol. 148, pp. 150-7, (2015) (PubMed).

Noh, Cheong, Ha, Eom, Kim, Choi, Paek: "Oxidative stress biomarkers in long-term participants in clean-up work after the Hebei Spirit oil spill." in: **The Science of the total environment**, Vol.

515-516, pp. 207-14, (2015) (PubMed).

There are more publications referencing this product on: Product page