

Datasheet for ABIN1327041
anti-TNFRSF1A antibody (AA 1-455)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	TNFRSF1A
Binding Specificity:	AA 1-455
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TNFRSF1A antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Purpose:	Rabbit polyclonal antibody raised against a full-length human TNFRSF1A protein.
Immunogen:	TNFRSF1A (ABW03527.1, 1 a.a. ~ 455 a.a) full-length human protein.
Sequence:	MGLSTVPDLL LPLVLELLV GIYPSGVIGL VPHLGDREKR DSVCPQGKYI HPQNN SICCT KCHKGTLYN DCPGPGQDTD CRECESGSFT ASENHLRHCL SCSKCRKEMG QVEISSCTVD RDTVCGCRKN QYRHYWSEN L FQCFNCSLCL NGTVHLSCQE KQNTVCTCHA GFFLRENECV SCSNCKKSLE CTKLCLPQIE NVKGTEDSGT TVLLPLVIF GLCLLSLLFI GLMYRYQRWK SKLYSIVCGK STPEKEGELE GTTTKPLAPN PSFSPTPGFT PTLGFSPVPS STFTSSSTYT PGDCPNFAAP RREVAPPYQG ADPILATALA SDPIP NPLQK WEDSAHKPQS LDTDDPATLY AVVENVPPLR WKEFVRR LGL SDHEIDRLEL QNGRCLREAQ YSMLATWRRR TPRREATLEL LGRVLRDMDL LGCLEDIEEA LCGPAALPPA PSLLR
Cross-Reactivity:	Human

Product Details

Characteristics: Antibody reactive against mammalian transfected lysate.

Target Details


Target:	TNFRSF1A
Alternative Name:	TNFRSF1A (TNFRSF1A Products)
Background:	Full Gene Name: tumor necrosis factor receptor superfamily, member 1A Synonyms: CD120a,FPF,MGC19588,TBP1,TNF-R,TNF-R-I,TNF-R55,TNFAR,TNFR1,TNFR55,TNFR60,p55,p55-R,p60
Gene ID:	7132
Pathways:	NF-kappaB Signaling , Apoptosis , Caspase Cascade in Apoptosis , Hepatitis C , Ubiquitin Proteasome Pathway

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Buffer:	In 1x PBS, pH 7.4
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.



Western Blotting

Image 1. Western Blot analysis of TNFRSF1A expression in transfected 293T cell line by TNFRSF1A MaxPab polyclonal antibody.

Lane 1: TNFRSF1A transfected lysate(50.05 kDa).

Lane 2: Non-transfected lysate.