

Datasheet for ABIN1330584

TNFRSF21 Protein



[Go to Product page](#)

Overview

Quantity:	10 µg
Target:	TNFRSF21
Origin:	Human
Source:	Wheat germ
Protein Type:	Recombinant
Application:	Affinity Purification (AP)

Product Details

Purpose:	TNFRSF21 (Human) Recombinant Protein
Sequence:	MGTSPPSSSTA LASCRIARR ATATMIAGSL LLLGFLSTTT AQPEQKASNL IGTYRHVDRA TGQVLTCDKC PAGTYVSEHC TNTSLRVCSS CPVGTFTTRHE NGIEKCHDCS QPCPWPMIEK LPCAALTDRE CTCPPGMFQS NATCAPHTVC PVGWGVRKKG TETEDVRCKQ CARGTFSDVP SSVMKCKAYT DCLSQNLVVI KPGTKETDNV CGTLPSFSSS TSPSPGTAIF PRPEHMETHE VPSSTYVPKG MNSTESNSSA SVRPKVLSSI QEGTVPDNTS SARGKEDVNK TLPNLQVVNH QQGPHHRHIL KLLPSMEATG GEKSSTPIKG PKRGHPRQNL HKHFDINEHL PWMIVLFLLL VLVVIVVCSI RKSSRTLKKG PRQDPSAIVE KAGLKSMTP TQNREKWIYY CNGHGIDILK LVAAQVGSQW KDIYQFLCNA SEREVAAFSN GYTADHERAY AALQHWITRG PEASLAQLIS ALRQHRRNDV VEKIRGLMED TTQLETDKLA LPMSPSPLSP SPIPSPNAKL ENSALLTVEP SPQDKNKGFF VDESEPLLRC DSTSSGSSAL SRNGSFITKE KKDTVLRQVR LDPCDLQPIF DDMLHFLNPE ELRVIEEIPQ AEDKLDRLF E IIGVKSQEAS QTL LDSVYSH LPDLL
Characteristics:	Human TNFRSF21 full-length ORF (NP_055267.1) recombinant protein without tag. This product is belong to Proteoliposome (PL).

Product Details

Purification: in vitro wheat germ expression system with proprietary liposome technology

Target Details

Target: TNFRSF21

Alternative Name: TNFRSF21 ([TNFRSF21 Products](#))

Background: Full Gene Name: tumor necrosis factor receptor superfamily, member 21
Synonyms: BM-018,DR6,MGC31965

Gene ID: 27242

NCBI Accession: [NM_014452](#)

Pathways: [Regulation of Lipid Metabolism by PPARalpha](#)

Application Details

Application Notes: Heating may cause protein aggregation. Please do not heat this product before electrophoresis.

Comment: Preparation method: in vitro, wheat germ expression system with proprietary liposome technology

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: 25 mM Tris-HCl of pH 8.0 containing 2 % glycerol.

Handling Advice: Aliquot to avoid repeated freezing and thawing.

Storage: -80 °C

Storage Comment: Best use within three months from the date of receipt of this protein.