



[Go to Product page](#)

Datasheet for ABIN1330817

ACTG2 293T Cell Transient Overexpression Lysate(Denatured)

2 Images

Overview

Quantity:	100 µL
Target:	ACTG2
Protein Species:	Human
Species of Lysate:	Human Cells
Application:	Western Blotting (WB)

Product Details

Purpose:	Transient Overexpression Lysate
Specificity:	Denatured
Characteristics:	ACTG2 293T Cell Transient Overexpression Lysate (Denatured) Used Plasmid: pCMV-ACTG2 full-length
Lysate Fraction:	Whole Cell Lysate
Lysate Type:	Overexpression Lysate
Lysed Cells:	HEK 293T Cells

Target Details

Target:	ACTG2
Alternative Name:	ACTG2 (ACTG2 Products)
Background:	Full Gene Name: actin, gamma 2, smooth muscle, enteric Synonyms: ACT,ACTA3,ACTE,ACTL3,ACTSG

Target Details

Gene ID: 72
NCBI Accession: [NP_001606, NM_001615](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.
Comment: Product Quality tested by: Transient overexpression cell lysate was tested with Anti-ACTG2 antibody by Western Blots.
Restrictions: For Research Use only

Handling


Format: Liquid
Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2 % SDS, 10 % glycerol, 300 mM 2-mercaptoethanol, 0.01 % Bromophenol blue)
Handling Advice: Aliquot to avoid repeated freezing and thawing.
Storage: -80 °C
Storage Comment: Store at -80 °C. Aliquot to avoid repeated freezing and thawing.

Images



Western Blotting

Image 1. ACTG2 transfected lysate.



Western Blotting

Image 2. Lane 1: ACTG2 transfected lysate (41.90 KDa)
Lane 2: Non-transfected lysate.