



[Go to Product page](#)

Datasheet for ABIN1330855

AGER 293T Cell Transient Overexpression Lysate(Denatured)

2 Images

Overview

Quantity:	100 µL
Target:	RAGE (AGER)
Protein Species:	Human
Species of Lysate:	Human Cells
Application:	Western Blotting (WB)

Product Details

Purpose:	Transient Overexpression Lysate
Specificity:	Denatured
Characteristics:	AGER 293T Cell Transient Overexpression Lysate (Denatured) Used Plasmid: pCMV-AGER full-length
Lysate Fraction:	Whole Cell Lysate
Lysate Type:	Overexpression Lysate
Lysed Cells:	HEK 293T Cells

Target Details

Target:	RAGE (AGER)
Alternative Name:	AGER (AGER Products)
Background:	Full Gene Name: advanced glycosylation end product-specific receptor Synonyms: MGC22357,RAGE

Target Details

Gene ID: 177

NCBI Accession: [NP_001127](#), [NM_001136](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Comment: Product Quality tested by: Transient overexpression cell lysate was tested with Anti-AGER antibody by Western Blots.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2 % SDS, 10 % glycerol, 300 mM 2-mercaptoethanol, 0.01 % Bromophenol blue)

Handling Advice: Aliquot to avoid repeated freezing and thawing.

Storage: -80 °C


Storage Comment: Store at -80 °C. Aliquot to avoid repeated freezing and thawing.

Images



Western Blotting

Image 1. AGER transfected lysate



Western Blotting

Image 2. Lane 1: AGER transfected lysate (42.8 kDa).

Lane 2: Non-transfected lysate.