

Datasheet for ABIN1330935

**BIRC3 293T Cell Transient Overexpression Lysate(Denatured)**[Go to Product page](#)**2** Images**1** Publication

## Overview

Quantity:	100 µL
Target:	BIRC3
Protein Species:	Human
Species of Lysate:	Human Cells
Application:	Western Blotting (WB)

## Product Details

Purpose:	Transient Overexpression Lysate
Specificity:	Denatured
Characteristics:	BIRC3 293T Cell Transient Overexpression Lysate (Denatured) Used Plasmid: pCMV-BIRC3 full-length
Lysate Fraction:	Whole Cell Lysate
Lysate Type:	Overexpression Lysate
Lysed Cells:	HEK 293T Cells

## Target Details

Target:	BIRC3
Alternative Name:	BIRC3 ( <a href="#">BIRC3 Products</a> )
Background:	Full Gene Name: baculoviral IAP repeat-containing 3 Synonyms: AIP1,API2,CIAP2,HAIP1,HIAP1,MALT2,MIHC,RNF49

## Target Details

---

Gene ID: 330

NCBI Accession: [NP\\_001156, NM\\_001165](#)

## Application Details

---

Application Notes: Optimal working dilution should be determined by the investigator.

Comment: Product Quality tested by: Transient overexpression cell lysate was tested with Anti-BIRC3 antibody by Western Blots.

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2 % SDS, 10 % glycerol, 300 mM 2-mercaptoethanol, 0.01 % Bromophenol blue)

Handling Advice: Aliquot to avoid repeated freezing and thawing.

Storage: -80 °C

Storage Comment: Store at -80 °C. Aliquot to avoid repeated freezing and thawing.

## Publications


---

Product cited in: Seidelin, Larsen, Linnemann, Vainer, Coskun, Troelsen, Nielsen: "Cellular inhibitor of apoptosis protein 2 controls human colonic epithelial restitution, migration, and Rac1 activation." in: **American journal of physiology. Gastrointestinal and liver physiology**, Vol. 308, Issue 2, pp. G92-9, (2015) ([PubMed](#)).



#### Western Blotting

**Image 1.** BIRC3 transfected lysate.



#### Western Blotting

**Image 2.** Lane 1: BIRC3 transfected lysate ( 68.4 KDa)  
Lane 2: Non-transfected lysate.