



[Go to Product page](#)

Datasheet for ABIN1331033

BAG1 293T Cell Transient Overexpression Lysate(Denatured)

2 Images

1 Publication

Overview

Quantity:	100 µL
Target:	BAG1
Protein Species:	Human
Species of Lysate:	Human Cells
Application:	Western Blotting (WB)

Product Details

Purpose:	Transient Overexpression Lysate
Specificity:	Denatured
Characteristics:	BAG1 293T Cell Transient Overexpression Lysate (Denatured) Used Plasmid: pCMV-BAG1 full-length
Lysate Fraction:	Whole Cell Lysate
Lysate Type:	Overexpression Lysate
Lysed Cells:	HEK 293T Cells

Target Details

Target:	BAG1
Alternative Name:	BAG1 (BAG1 Products)
Background:	Full Gene Name: BCL2-associated athanogene Synonyms: RAP46

Target Details

Gene ID: 573

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Comment: Product Quality tested by: Transient overexpression cell lysate was tested with Anti-BAG1 antibody by Western Blots.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2 % SDS, 10 % glycerol, 300 mM 2-mercaptoethanol, 0.01 % Bromophenol blue)


Handling Advice: Aliquot to avoid repeated freezing and thawing.

Storage: -80 °C

Storage Comment: Store at -80 °C. Aliquot to avoid repeated freezing and thawing.

Publications

Product cited in: van der Zee, Ten Hagen, Hop, van Dekken, Dicheva, Seynhaeve, Koning, Eggermont, van Eijck: " Bcl-2 associated anthanogen-1 (Bag-1) expression and prognostic value in pancreatic head and periampullary cancer." in: **European journal of cancer (Oxford, England : 1990)**, Vol. 49, Issue 2, pp. 323-8, (2013) ([PubMed](#)).



Western Blotting

Image 1. BAG1 transfected lysate

Western Blotting

Image 2. Lane 1: BAG1 transfected lysate (31.1 KDa).
Lane 2: Non-transfected lysate.