

Datasheet for ABIN1332330

IL2RG 293T Cell Transient Overexpression Lysate(Denatured)[Go to Product page](#)**2** Images

Overview

Quantity:	100 µL
Target:	IL2RG
Protein Species:	Human
Species of Lysate:	HEK-293T Cells
Application:	Western Blotting (WB)

Product Details

Purpose:	Transient Overexpression Lysate
Specificity:	Denatured
Characteristics:	IL2RG 293T Cell Transient Overexpression Lysate (Denatured) Used Plasmid: pCMV-IL2RG full-length
Lysate Fraction:	Whole Cell Lysate
Lysate Type:	Overexpression Lysate
Lysed Cells:	HEK 293T Cells

Target Details

Target:	IL2RG
Alternative Name:	IL2RG (IL2RG Products)
Background:	Full Gene Name: interleukin 2 receptor, gamma (severe combined immunodeficiency) Synonyms: CD132,IMD4,SCIDX,SCIDX1

Target Details

Gene ID:	3561
NCBI Accession:	NP_000197 , NM_000206


Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Comment:	Product Quality tested by: Transient overexpression cell lysate was tested with Anti-TERF2 antibody by Western Blots.
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	1X Sample Buffer (50 mM Tris-HCl, 2 % SDS, 10 % glycerol, 300 mM 2-mercaptoethanol, 0.01 % Bromophenol blue)
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-80 °C
Storage Comment:	Store at -80 °C. Aliquot to avoid repeated freezing and thawing.

Images



Western Blotting

Image 1. Lane 1: IL2RG transfected lysate (42.3 KDa)
Lane 2: Non-transfected lysate.



Western Blotting

Image 2. IL2RG transfected lysate.