



Datasheet for ABIN1332948

PGA5 293T Cell Transient Overexpression Lysate(Denatured)



[Go to Product page](#)

2 Images

Overview

| | |
|--------------------|-----------------------|
| Quantity: | 100 µL |
| Target: | PGA5 |
| Protein Species: | Human |
| Species of Lysate: | Human Cells |
| Application: | Western Blotting (WB) |

Product Details

| | |
|------------------|---|
| Purpose: | Transient Overexpression Lysate |
| Specificity: | Denatured |
| Characteristics: | PGA5 293T Cell Transient Overexpression Lysate (Denatured) Used Plasmid: pCMV-PGA5 full-length |
| Lysate Fraction: | Whole Cell Lysate |
| Lysate Type: | Overexpression Lysate |
| Lysed Cells: | HEK 293T Cells |

Target Details

| | |
|-------------------|---|
| Target: | PGA5 |
| Alternative Name: | PGA5 (PGA5 Products) |
| Background: | Full Gene Name: pepsinogen 5, group I (pepsinogen A) Synonyms: |

Target Details

Gene ID: 5222

NCBI Accession: [NP_055039, NM_014224](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Comment: Product Quality tested by: Transient overexpression cell lysate was tested with Anti-PGA5 antibody by Western Blots.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2 % SDS, 10 % glycerol, 300 mM 2-mercaptoethanol, 0.01 % Bromophenol blue)

Handling Advice: Aliquot to avoid repeated freezing and thawing.

Storage: -80 °C


Storage Comment: Store at -80 °C. Aliquot to avoid repeated freezing and thawing.

Images



Western Blotting

Image 1. PGA5 transfected lysate.



Western Blotting

Image 2. Lane 1: PGA5 transfected lysate (42.00 KDa)
Lane 2: Non-transfected lysate.