

Datasheet for ABIN1332985

PLCG2 293T Cell Transient Overexpression Lysate(Denatured)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	Phospholipase C gamma 2 (PLCG2)
Protein Species:	Human
Species of Lysate:	Human Cells
Application:	Western Blotting (WB)

Product Details

Purpose:	Transient Overexpression Lysate
Specificity:	Denatured
Characteristics:	PLCG2 293T Cell Transient Overexpression Lysate (Denatured) Used Plasmid: pCMV-PLCG2 full-length
Lysate Fraction:	Whole Cell Lysate
Lysate Type:	Overexpression Lysate
Lysed Cells:	HEK 293T Cells

Target Details

Target:	Phospholipase C gamma 2 (PLCG2)
Alternative Name:	PLCG2 (PLCG2 Products)
Background:	Full Gene Name: phospholipase C, gamma 2 (phosphatidylinositol-specific) Synonyms:

Target Details

Gene ID: 5336

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Comment: Product Quality tested by: Transient overexpression cell lysate was tested with Anti-PLCG2 antibody by Western Blots.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2 % SDS, 10 % glycerol, 300 mM 2-mercaptoethanol, 0.01 % Bromophenol blue)

Handling Advice: Aliquot to avoid repeated freezing and thawing.

Storage: -80 °C


Storage Comment: Store at -80 °C. Aliquot to avoid repeated freezing and thawing.

Images



Western Blotting

Image 1. PLCG2 transfected lysate.



Western Blotting

Image 2. Lane 1: PLCG2 transfected lysate (147.9 KDa)
Lane 2: Non-transfected lysate.