.-online.com antibodies

Datasheet for ABIN133315 anti-CD45RA/B antibody (FITC)



Overview	
Quantity:	500 µg
Target:	CD45RA/B
Reactivity:	Rat
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD45RA/B antibody is conjugated to FITC
Application:	Flow Cytometry (FACS)
Product Details	
Immunogen:	Rat purified spleen L-CA . Fusion Partner: NSO/U . Donor: BALB/c spleen
Clone:	OX-33
lsotype:	lgG1
Specificity:	Rat CD45RA/B
Target Details	
Target:	CD45RA/B
Alternative Name:	CD45RA/B (CD45RA/B Products)
Background:	Rat Leukocyte Common Antigen has been shown to exist in different forms on different
	lymphoid cell types. Rat L-CA on thymocytes shows one main band at 180 kDa, T cells show 4
	bands at 180, 190, 200 and 220 kDa. ABIN133315detects a subfraction of the 240 kDa rat L-CA
	band found only on B lymphocytes. This monoclonal antibody is of particular use in the
Order at www.	antibodies-online.com www.antikoerper-online.de www.anticorps-enligne.fr www.antibodies-online.cn

International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN133315 | 09/12/2023 | Copyright antibodies-online. All rights reserved. investigation of the molecular and antigenic heterogeneity of rat L-CA, especially when used in conjunction with other OX antibodies. Four mouse monoclonal antibodies (MRC OX 1, 28, 29 and 30) react with all molecular forms of L-CA and fall into two sets that are non- competitive in binding to L-CA (MRC OX 1, 28, 29 and 30). The antigenic determinants seen by all these antibodies are lost when L-CA is reduced and alkylated. Three antibodies (MRC OX 22, 31, and 32) react selectively with B cells, T cytotoxic cells and about two thirds of T helper cells. OX 22 and OX 31 compete for binding but are non- competitive with OX 32. All of these antibodies bind to a sub-fraction of the 190, 200 and 220 kDa forms of T cell L-CA but not at all to the 180 kDa form of T cells or thymocytes.

Application Details

Restrictions:	For Research Use only
Handling	
Concentration:	0.5 μg/10 cells
Storage:	4 °C