

Datasheet for ABIN1333267

**RARG 293T Cell Transient Overexpression Lysate(Denatured)**[Go to Product page](#)**2** Images

## Overview

Quantity:	100 µL
Target:	Retinoic Acid Receptor gamma (RARG)
Protein Species:	Human
Species of Lysate:	Human Cells
Application:	Western Blotting (WB)

## Product Details

Purpose:	Transient Overexpression Lysate
Specificity:	Denatured
Characteristics:	RARG 293T Cell Transient Overexpression Lysate (Denatured) Used Plasmid: pCMV-RARG full-length
Lysate Fraction:	Whole Cell Lysate
Lysate Type:	Overexpression Lysate
Lysed Cells:	HEK 293T Cells

## Target Details

Target:	Retinoic Acid Receptor gamma (RARG)
Alternative Name:	RARG ( <a href="#">RARG Products</a> )
Background:	Full Gene Name: retinoic acid receptor, gamma Synonyms: NR1B3,RARC

## Target Details

Gene ID: 5916

NCBI Accession: [NM\\_000966](#)

## Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Comment: Product Quality tested by: Transient overexpression cell lysate was tested with Anti-RARG antibody by Western Blots.

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2 % SDS, 10 % glycerol, 300 mM 2-mercaptoethanol, 0.01 % Bromophenol blue)

Handling Advice: Aliquot to avoid repeated freezing and thawing.

Storage: -80 °C


Storage Comment: Store at -80 °C. Aliquot to avoid repeated freezing and thawing.

## Images



### Western Blotting

**Image 1.** RARG transfected lysate.



### Western Blotting

**Image 2.** Lane 1: RARG transfected lysate ( 50.05 KDa)

Lane 2: Non-transfected lysate.