

Datasheet for ABIN1346688  
**BIRC3 Protein (AA 1-604) (GST tag)**



[Go to Product page](#)

1 Image

Overview

Quantity:	10 µg
Target:	BIRC3
Protein Characteristics:	AA 1-604
Origin:	Human
Source:	Wheat germ
Protein Type:	Recombinant
Purification tag / Conjugate:	This BIRC3 protein is labelled with GST tag.
Application:	Western Blotting (WB), ELISA, Antibody Array (AA), Affinity Purification (AP)

Product Details

Purpose:	BIRC3 (Human) Recombinant Protein (P01)
Sequence:	MNIVENSIFL SNLMKSANTF ELKYDLSCEL YRMSTYSTFP AGVPVSERSL ARAGFYITGV NDKVKCFCCG LMLDNWKRGD SPTEKHKKLY PSCRFVQSLN SVNNLEATSQ PTFPSSVTNS THSLLPGTEN SGYFRGSYSN SPSNPVNSRA NQDFSALMRS SYHCAMNNEN ARLLTFQTWP LTFLSPTDLA KAGFYIIGPG DRVACFACGG KLSNWEPKDN AMSEHLRHFP KCPFIENQLQ DTSRYTVSNL SMQTHAARFK TFFNWPSVL VNPEQLASAG FYYVGNSSDDV KCFCCDGGLR CWESGDDPWV QHAKWFPRCE YLIRIKGQEF IRVQASYPH LLEQLLSTSD SPGDENAESS IIHFEPGEDH SEDAIMMNTV VINAAVEMGF SRSLVKQTVQ RKILATGENY RLVNDLVLDL LNAEDEIREE ERERATEEKE SNDLLLIRKN RMALFQHLTC VIPILDSLLT AGIINEQEHD VIKQKTQTSL QARELIDTIL VKGNIAATVF RNSLQAEAV LYEHFLVQQD IKYIPTEDVS DLPVEEQLRR LQEERTCKVC MDKEVSIVFI PCGHLVCKD CAPSLRKCPI CRSTIKGTVR TFLS
Characteristics:	Human BIRC3 full-length ORF ( NP_001156.1, 1 a.a. - 604 a.a.) recombinant protein with GST-

## Product Details

---

tag at N-terminal.

Purification: in vitro wheat germ expression system

## Target Details

---

Target: BIRC3

Alternative Name: BIRC3 ([BIRC3 Products](#))

Background: Full Gene Name: baculoviral IAP repeat-containing 3  
Synonyms: AIP1,API2,CIAP2,HAIP1,HIAP1,MALT2,MIHC,RNF49

Gene ID: 330

NCBI Accession: [NM\\_001165](#)

Pathways: [Apoptosis](#), [Caspase Cascade in Apoptosis](#), [Activation of Innate immune Response](#), [Toll-Like Receptors Cascades](#)

## Application Details

---

Application Notes: Optimal working dilution should be determined by the investigator.

Comment: Preparation method: in vitro, wheat germ expression system  
Product Quality tested by: 12.5% SDS-PAGE Stained with Coomassie Blue.

Restrictions: For Research Use only

## Handling

---

Buffer: 50 mM Tris-HCl, 10 mM reduced Glutathione, pH =8.0 in the elution buffer.

Handling Advice: Aliquot to avoid repeated freezing and thawing.

Storage: -80 °C

Storage Comment: Best use within three months from the date of receipt of this protein.




Image 1.