



[Go to Product page](#)

Datasheet for ABIN1351364

DDX47 Protein (AA 1-455) (GST tag)

1 Image

Overview

| | |
|-------------------------------|---|
| Quantity: | 10 µg |
| Target: | DDX47 |
| Protein Characteristics: | AA 1-455 |
| Origin: | Human |
| Source: | Wheat germ |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This DDX47 protein is labelled with GST tag. |
| Application: | ELISA, Western Blotting (WB), Antibody Array (AA), Affinity Purification (AP) |

Product Details

| | |
|------------------|---|
| Purpose: | DDX47 (Human) Recombinant Protein (P01) |
| Sequence: | MAAPEEHDSP TEASQPIVEE EETKTFKDLG VTDVLCACD QLGWTKPTKI QIEAIPALQ GRDIIGLAET GSGKTGAFAL PILNALLETP QRLFALVLTP TRELAFQISE QFEALGSSIG VQSAVIVGGI DSMSQSLALA KKPHIIIATP GRLIDHLENT KGFNLRALKY LVMDEADRIL NMDFETEVDK ILKVIPRDRK TFLFSATMTK KVQKLQRAAL KNPVKCAVSS KYQTVEKLQQ YYIFIPSKFK DTYLVYILNE LAGNSFMIFC STCNNTQRTA LLLRNLGFTA IPLHGQMSQS KRLGSLNKFK AKARSILLAT DVASRGLDIP HVDVVVNFDI PTHSKDYIHR VGRTARAGRS GKAITFVTQY DVELFQRIEH LIGKKLPGFP TQDDEVMMLT ERVAEAQRFA RMELREHGEK KKRSREDAGD NDDTEGAIGV RNKVAGGKMK KRKGR |
| Characteristics: | Human DDX47 full-length ORF (NP_057439.2, 1 a.a. - 455 a.a.) recombinant protein with GST-tag at N-terminal. |

Product Details

Purification: in vitro wheat germ expression system

Target Details

Target: DDX47

Alternative Name: DDX47 ([DDX47 Products](#))

Background: Full Gene Name: DEAD (Asp-Glu-Ala-Asp) box polypeptide 47
Synonyms: DKFZp564O176,E4-DBP,FLJ30012,HQ0256,MSTP162

Gene ID: 51202

NCBI Accession: [NM_016355](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Comment: Preparation method: in vitro, wheat germ expression system
Product Quality tested by: 12.5% SDS-PAGE Stained with Coomassie Blue.

Restrictions: For Research Use only

Handling

Buffer: 50 mM Tris-HCl, 10 mM reduced Glutathione, pH =8.0 in the elution buffer.

Handling Advice: Aliquot to avoid repeated freezing and thawing.

Storage: -80 °C

Storage Comment: Best use within three months from the date of receipt of this protein.




Image 1.