antibodies

Datasheet for ABIN135264 anti-CD72.1 antibody

Image



Overview

Quantity:	0.5 mg
Target:	CD72.1
Reactivity:	Mouse
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD72.1 antibody is un-conjugated
Application:	Flow Cytometry (FACS)

Product Details

Immunogen:	DBA/2 mouse spleen cells
Clone:	10-1-D2
lsotype:	lgG2b
Specificity:	Mouse CD72.1, Mr 45 kDa
Characteristics:	Mouse Anti-Mouse CD72.1-UNLB
Purification:	Purified


Target Details

Target:	CD72.1
Abstract:	CD72.1 Products
Background:	CD72.1/Lyb-2.1, a type II integral membrane glycoprotein and a member of the C-lectin family

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN135264 | 09/12/2023 | Copyright antibodies-online. All rights reserved. of cell surface receptors, is a differentiation antigen of B cells, and is found in mouse strains expressing the Lyb-2.1 allotype. CD72.1 is the ligand of CD5 (Ly-1) which is distributed on all T cells and a small number of B cells. The 10-1.D.2 monoclonal antibody blocks binding of CD5 to CD72 on the B cell surface, which leads to inhibition of the positive signal resulting from CD5/CD72 pairing.

Application Details

Application Notes:	 Applications: FC - Quality tested, IP - Reported in literature, Activ - Reported in literature, Block - Reported in literature, Costim - Reported in literature Working Dilutions: Flow Cytometry FITC, BIOT, and AF488 conjugates 1 g/106 cells PE conjugate 0.2 g/106 cells APC and AF647 conjugates 0.1 g/106 cells For flow cytometry, the suggested use of these reagents is in a final volume of 100 L
Comment:	In vitro blocking and proliferation assays
Sample Volume:	1 mL
Restrictions:	For Research Use only
Handling	
Concentration:	0.5 mg/mL
Buffer:	0.5 mg of purified immunoglobulin in 1.0 mL of borate buffered saline, pH 8.2. No preservatives or amine-containing buffer salts added
Preservative:	Without preservative
Handling Advice:	Each reagent is stable for the period shown on the bottle label if stored as directed.
Storage:	4 °C
Storage Comment:	Store at 2-8°C



Flow Cytometry

Image 1. DBA/2 mouse splenocytes were stained with Mouse Anti-Mouse CD72.1-PE.