antibodies -online.com





anti-Sca-1/Ly-6A/E antibody (Biotin)





Go to Product page

()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Quantity:	0.5 mg
Target:	Sca-1/Ly-6A/E (Ly6a)
Reactivity:	Mouse
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This Sca-1/Ly-6A/E antibody is conjugated to Biotin
Application:	Flow Cytometry (FACS)

Product Details

Immunogen:	IL-2 dependent mouse (C57BL/6) cytotoxic T cell line CTL-L		
Clone:	D7		
Isotype:	lgG2a		
Specificity:	Mouse Ly-6A/E (Ly-6A.2 & Ly-6E.1), Mr 18 kDa		
Characteristics:	Rat Anti-Mouse Ly-6A/E-BIOT		

Target Details

Target:	Sca-1/Ly-6A/E (Ly6a)	
Alternative Name:	Ly-6A/E (Ly6a Products)	
Background:	Ly-6A/E, also known as Sca-1, is a member of the Ly-6 multigene family of type V	
	glycophosphatidylinositol-anchored cell surface proteins. It is expressed on multipotent	

hematopoietic stem cells in bone marrow of mice with both the Ly-6.1 and Ly-6.2 allotypes. In the periphery, Ly-6A/E exhibits a pattern of expression which is based on differences between the two allotypes. Ly-6.1 strains (e.g., A, BALB/c, CBA, C3H/He, DBA/1, NZB) have few Ly-6A/E+ resting peripheral lymphocytes, whereas Ly-6.2 strains (e.g., AKR, C57BL, C57BR, C57L, DBA/2, PL, SJL, SWR, 129) have relatively high numbers of Ly-6A/E+ lymphocytes. The expression of Ly-6A/E is dramatically upregulated in all strains upon cellular activation.

Pathways:

Sensory Perception of Sound, Activated T Cell Proliferation

Application Details

Application Notes:

- Applications: FC Quality tested , IHC-FS Reported in literature , IHC-PS Reported in literature , IP Reported in literature , WB Reported in literature , Costim Reported in literature
- Working Dilutions: Flow Cytometry FITC, BIOT, and AF488 conjugates 1 g/106 cells PE, APC, SPRD, PE/CY5.5, PACBLU, and AF647 conjugates 0.2 g/106 cells For flow cytometry, the suggested use of these reagents is in a final volume of 100 L

Comment: In vitro lymphocyte activation


Sample Volume: 1 mL

For Research Use only

Handling

Restrictions:

Concentration: 0.5 mg/mL Buffer: 0.5 mg in 1.0 mL of PBS/Sodium azide Preservative: Sodium azide Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Protect conjugated products from light. Each reagent is stable for the period shown on the bottle label if stored as directed. Storage: 4°C Storage Comment: Store at 2-8°C



Flow Cytometry

Image 1. Con-A stimulated BALB/c mouse splenocytes were stained with Rat Anti-Mouse Ly-6A/E-BIOT.