

Datasheet for ABIN135324

anti-CD45.2 antibody**2** Images[Go to Product page](#)

Overview

Quantity:	0.5 mg
Target:	CD45.2
Reactivity:	Mouse
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD45.2 antibody is un-conjugated
Application:	Flow Cytometry (FACS), Immunohistochemistry (IHC), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	B10.S mouse thymocytes and splenocytes
Clone:	104
Isotype:	IgG2a
Specificity:	Mouse CD45.2, Mr 180-240 kDa
Characteristics:	Mouse Anti-Mouse CD45.2-UNLB
Purification:	Purified

Target Details

Target:	CD45.2
Alternative Name:	CD45.2 (CD45.2 Products)

Target Details

Background:	The CD45 antigen is an essential regulator of leukocyte activation and development, and is now known to be a protein tyrosine phosphatase, e.g. CD45 is able to dephosphorylate the Src family of protein kinases. This activity is now known to be required for signal transduction induced by T and B cell antigen receptor engagement, cytokine signaling and Fc receptor stimulation. The functional state of CD45 also has a pronounced effect on lymphocyte development. CD45 exists in multiple forms, such as the restricted variants (CD45R) and as allelic forms CD45.1/Ly-5.1 and CD45.2/Ly-5.2. The specificity of antibodies to CD45.1 and CD45.2 has been exploited in studies where resolution of donor and recipient cells is essential, such as in gene therapy or bone marrow transplantation.
-------------	--

Application Details

Application Notes:	<ul style="list-style-type: none">• Applications: FC - Quality tested , IHC-FS - Reported in literature• Working Dilutions: Flow Cytometry FITC, BIOT, and AF488 conjugates 1 g/106 cells PE, APC, SPRD, CY5, PE/CY5.5, PE/CY7, APC/CY5.5, AF647, 0.3 g/106 cells AF700, and PACBLU conjugates For flow cytometry, the suggested use of these reagents is in a final volume of 100 L
--------------------	---

Sample Volume:	1 mL
----------------	------

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Concentration:	0.5 mg/mL
Buffer:	0.5 mg of purified immunoglobulin in 1.0 mL of borate buffered saline, pH 8.2. No preservatives or amine-containing buffer salts added
Preservative:	Without preservative
Handling Advice:	Each reagent is stable for the period shown on the bottle label if stored as directed.
Storage:	4 °C
Storage Comment:	Store at 2-8°C





Image 1.



Flow Cytometry

Image 2. BALB/c mouse splenocytes were stained with Mouse Anti-Mouse CD45.2-PACBLU.