



Datasheet for ABIN1354290  
**FNTB Protein (AA 1-437) (GST tag)**



[Go to Product page](#)

**1** Image

Overview

Quantity:	10 µg
Target:	FNTB
Protein Characteristics:	AA 1-437
Origin:	Human
Source:	Wheat germ
Protein Type:	Recombinant
Purification tag / Conjugate:	This FNTB protein is labelled with GST tag.
Application:	ELISA, Western Blotting (WB), Antibody Array (AA), Affinity Purification (AP)

Product Details

Purpose:	FNTB (Human) Recombinant Protein (P01)
Sequence:	<p>                     MASPSSFTYY CPPSSSPVWS EPLYSLRPEH ARERLQDDSV ETVTSIEQAK VEEKIQEVFS                      SYKFNHLVPR LVLQREKHFH YLKRGLRQLT DAYECLDASR PWLCYWILHS LELLDEPIPQ                      IVATDVCQFL ELCQSPEGGF GGGPGQYPHL APTYAAVNAL CIIGTEEAYD IINREKLLQY                      LYSLKQPDGS FLMHVGGEVD VRSAYCAASV ASLTNIITPD LFEGTAEWIA RCQNWEGGIG                      GVPGMEAHGG YTFCGLAALV ILKRERSLNL KSLQWVTSR QMRFEAGGFQG RCNKLVDGCY                      SFWQAGLLPL LHRALHAQGD PALSMHWMF HQQALQEYIL MCCQCPAGGL LDKPGKSRDF                      YHTCYCLSGL SIAQHFSGA MLHDVVLGVP ENALQPTHPV YNIGPDKVIQ ATTYFLQKPV                      PGFEELKDET SAEPATD                 </p>
Characteristics:	Human FNTB full-length ORF ( AAH20232, 1 a.a. - 437 a.a.) recombinant protein with GST-tag at N-terminal.

## Product Details

---

Purification: in vitro wheat germ expression system

## Target Details

---

Target: FNTB

Alternative Name: FNTB ([FNTB Products](#))

Background: Full Gene Name: farnesyltransferase, CAAX box, beta  
Synonyms: FPTB,MGC31935

Gene ID: 2342

## Application Details

---

Application Notes: Optimal working dilution should be determined by the investigator.

Comment: Preparation method: in vitro, wheat germ expression system  
Product Quality tested by: 12.5% SDS-PAGE Stained with Coomassie Blue.

Restrictions: For Research Use only

## Handling

---

Buffer: 50 mM Tris-HCl, 10 mM reduced Glutathione, pH =8.0 in the elution buffer.

Handling Advice: Aliquot to avoid repeated freezing and thawing.

Storage: -80 °C

Storage Comment: Best use within three months from the date of receipt of this protein.



### SDS-PAGE

Image 1.