# antibodies -online.com







# anti-RLA-DQ antibody (Biotin)





### Overview

Quantity:	0.5 mg
Target:	RLA-DQ
Reactivity:	Rabbit
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This RLA-DQ antibody is conjugated to Biotin
Application:	Flow Cytometry (FACS)

## **Product Details**

Immunogen:	Rabbit spleen cells
Clone:	2C4
Isotype:	lgG2a
Specificity:	Rabbit RLA-DQ
Characteristics:	Mouse Anti-Rabbit RLA-DQ-BIOT


# Target Details

Target:	RLA-DQ
Abstract:	RLA-DO Products

# **Application Details**

Application Notes:	<ul> <li>Applications: FC - Quality tested, IHC-FS - Reported in literature, IHC-PS - Reported in literature, IHC-WM - Reported in literature, ICC - Reported in literature, ELISA - Reported in literature, WB - Reported in literature, IP - Reported in literature, Block - Reported in literature</li> <li>Working Dilutions: Flow Cytometry FITC and BIOT conjugates 1 g/106 cells PE conjugate 0.2 g/106 cells For flow cytometry, the suggested use of these reagents is in a final volume of 100 L</li> </ul>
Sample Volume:	1 mL
Restrictions:	For Research Use only
Handling	
Concentration:	0.5 mg/mL
Buffer:	0.5 mg in 1.0 mL PBS/Sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Protect conjugated products from light.  Each reagent is stable for the period shown on the bottle label if stored as directed.
Storage:	4 °C
Storage Comment:	Store at 2-8°C

### **Images**



# **Flow Cytometry**

**Image 1.** Rabbit peripheral blood lymphocytes were stained with Mouse Anti-Rabbit RLA-DQ-FITC.