

Datasheet for ABIN135471 anti-CD3 epsilon antibody (PE)

2 Images



Overview

Quantity:	0.1 mg
Target:	CD3 epsilon (CD3E)
Reactivity:	Pig
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD3 epsilon antibody is conjugated to PE
Application:	Flow Cytometry (FACS)

Product Details


Immunogen:	Unknown
Clone:	BB23-8E6
Isotype:	lgG2b
Specificity:	Porcine CD3, Mr 24 kDa
Characteristics:	Mouse Anti-Porcine CD3e-PE

Target Details


Target:	CD3 epsilon (CD3E)
Alternative Name:	CD3e (CD3E Products)
Background:	Porcine CD3 is a member of the T-cell receptor-associated CD3 complex. It is found on a
	subpopulation of thymocytes and on all pig T lymphocytes. MAb PPT3 is mitogenic when

Target Details

	presented to peripheral blood mononuclear cells in immobilized form.
Pathways:	TCR Signaling, CXCR4-mediated Signaling Events, Ubiquitin Proteasome Pathway
Application Details	
Application Notes:	 Applications: FC - Quality tested, IHC-FS - Reported in literature, IP - Reported in literature Working Dilutions: Flow Cytometry FITC conjugate 3 g/106 cells BIOT conjugate 1 g/106 cells PE conjugate 0.2 g/106 cells For flow cytometry, the suggested use of these reagents is in a final volume of 100 L
Comment:	In vitro T cell stimulation
Sample Volume:	1 mL
Restrictions:	For Research Use only
Handling	
Concentration:	0.1 mg/mL
Buffer:	0.1 mg in 1.0 mL of PBS/Sodium azide and a stabilizing agent
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Do not freeze!
	Protect conjugated products from light.
	Each reagent is stable for the period shown on the bottle label if stored as directed.
Storage:	4 °C
Storage Comment:	Store at 2-8°C



lmage 1.



Flow Cytometry

Image 2. Porcine peripheral blood lymphocytes were stained with Mouse Anti-Porcine CD3e-PE.