


Datasheet for ABIN135477 anti-CD8 alpha antibody (FITC)





Go to Product page

Overview

Quantity:	0.5 mg
Target:	CD8 alpha (CD8A)
Reactivity:	Pig
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD8 alpha antibody is conjugated to FITC
Application:	Flow Cytometry (FACS)

Product Details

Immunogen:	Fresh dd miniature swine thymocytes
Clone:	76-2-11
Isotype:	IgG2a
Specificity:	Porcine CD8α, Mr 35 kDa
Characteristics:	Mouse Anti-Porcine CD8a-FITC
Purification:	lon exchange column

Target Details

Target:	CD8 alpha (CD8A)
Alternative Name:	CD8a (CD8A Products)
Background:	Porcine CD8, a type I transmembrane glycoprotein, is expressed as either a CD8 homodimer or


Target Details	
	a CD8 heterodimer. It is found on most thymocytes, and on the suppressor/cytotoxic subpopulation of peripheral T cells. CD8 functions primarily as a co-receptor with MHC Class I-restricted T-cell receptors in antigen recognition.
Pathways:	TCR Signaling
Application Details	
Application Notes:	 Applications: FC - Quality tested, IHC-FS - Reported in literature, IHC-PS - Reported in literature, IP - Reported in literature, Block - Reported in literature, Depletion - Reported in literature, CMCD - Reported in literature Working Dilutions: Flow Cytometry FITC, BIOT and AF488 conjugates 1 g/106 cells PE, APC, and SPRD conjugates 0.2 g/106 cells For flow cytometry, the suggested use of these reagents is in a final volume of 100 L
Comment:	Cytotoxicity assays, In vivo depletion of CD8+ cells
Sample Volume:	1 mL
Restrictions:	For Research Use only
Handling	
Concentration:	0.5 mg/mL
Buffer:	0.5 mg in 1.0 mL of PBS/Sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Protect conjugated products from light. Each reagent is stable for the period shown on the bottle label if stored as directed.
Storage:	4 °C
Storage Comment:	Store at 2-8°C

Publications

Product cited in:

Ferrari, De Angelis, Martelli, Borghetti: "Swine virus-specific cytotoxic cells producing IFNgamma under different conditions of virus antigenic stimulation." in: **Veterinary research communications**, (2010) (PubMed).



10⁰

10²

10¹ CD8α-FITC 10^{3}

Image 1.

Flow Cytometry

Image 2. Porcine peripheral blood lymphocytes were stained with Mouse Anti-Porcine CD8α-FITC.