

Datasheet for ABIN135570 **anti-HLAG antibody**

1 Image



()	110	K\ /		1 A
()	ve	I \/	╙	W
\sim	v ~	. v	\sim	v v

Quantity:	0.5 mg
Target:	HLAG
Reactivity:	Chicken
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This HLAG antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (IHC), Immunoprecipitation (IP)

Product Details

Immunogen:	Affinity purified chicken MHC-I molecules
Clone:	F21-21
Isotype:	IgG1
Specificity:	Chicken/Turkey β2-Microglobulin, Mr ~14 kDa
Characteristics:	Mouse Anti-Chicken b2-Microglobulin-UNLB
Purification:	Purified

Target Details

Target:	HLAG
Alternative Name:	b2-Microglobulin (HLAG Products)

Target Details

Pathways:

Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Cancer Immune Checkpoints, Human Leukocyte Antigen (HLA) in Adaptive Immune Response


Application Details

Comment:	Immunoaffinity chromatography	
Sample Volume:	1 mL	
Restrictions:	For Research Use only	

Handling

Tianuling	
Buffer:	Product is supplied as 0.5 mg of purified immunoglobulin in 1.0 mL of 100 mM borate buffered saline, pH 8.0.
Handling Advice:	Each reagent is stable for the period shown on the bottle label if stored as directed.
Storage:	4 °C

Images



Flow Cytometry

Image 1. Chicken peripheral blood lymphocytes were stained with Mouse Anti-Chicken β2 Microglobulin-FITC.