

Datasheet for ABIN135793

anti-CD51 antibody (PE)





Overview

Quantity:	100 tests
Target:	CD51 (ITGAV)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD51 antibody is conjugated to PE
Application:	Immunohistochemistry (IHC), Flow Cytometry (FACS)

Product Details

Immunogen:	Cell suspension containing osteoclasts from osteoclastomas
Clone:	13C2
Isotype:	lgG1
Specificity:	Human/African Green Monkey/Rabbit/Bovine CD51, Mr 125 & 24 kDa
Characteristics:	Mouse Anti-Human CD51-PE

Target Details

Target:	CD51 (ITGAV)
Alternative Name:	CD51 (ITGAV Products)
Background:	CD51 represents the 150 kDa integrin V chain that associates with integrin 3 (CD61) to form the
	CD51/CD61 vitronectin receptor on endothelial cells, certain activated leukocytes, NK cells,

Target Details

macrophages, neutrophils and platelets. CD51 is the most promiscuous integrin a subunit, it can form heterodimers with the 1 (CD29), 3 (CD61), 5, 6 and 8 subunits in various tissues. CD51/CD61 acts as an activation-independent receptor for platelet attachment and spreading on vitronectin and other RGD-containing proteins, including matrix components. It also mediates leukocyte-endothelial cell adhesion via interaction with CD31.

Pathways:

Cell-Cell Junction Organization, Signaling Events mediated by VEGFR1 and VEGFR2, Growth Factor Binding, Integrin Complex

Application Details

Application Notes: Working Dilution:

FACS: 10 µL/10⁶ cells

Representative data are included in this product insert.

Each laboratory should determine an optimum working titer for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded.

Restrictions:

For Research Use only

Handling

Buffer:
Product is supplied as 100 tests in 1.0 mL of PBS / NaN3 and a stabilizing agent.

Handling Advice:

Do not freeze!
Protect conjugated products from light.

Each reagent is stable for the period shown on the bottle label if stored as directed.

Storage:

4°C




Image 1. Human HPV-16/transformed cell line HS-5 was stained with Mouse Anti-Human CD51-PE.