

Datasheet for ABIN1379679

Phospho p38 Flex Set (Bead B6)



2

Publications



Go to Product page

Overview

Quantity:	100 tests	
Target:	MAPK14	
Binding Specificity:	pThr180, pTyr182	
Reactivity:	Human, Mouse, Rat	
Application:	Immunoassay (IA), Flow Cytometry (FACS)	

Product Details

Brand:	BD™ Cytometric Bead Array,BD™
--------	-------------------------------

Characteristics:

The BD™ CBA Phospho p38 (T180/Y182) Flex Set is a bead-based immunoassay capable of measuring human, mouse, or rat p38, a member of the mitogen-activated protein kinase (MAPK) family of kinases, that has been threonine-phosphorylated at Thr-180 and tyrosine-phosphorylated at Tyr-182 in denatured cell lysate samples. Human and mouse reactivity was determined by testing cell lysates with the BD CBA Phospho p38 (T180/Y182) Flex Set.

Reactivity with rat samples was determined by western blot for each of the antibodies used in the BD CBA Phospho p38 (T180/Y182) Flex Set. The biology and function of p38 has been previously reviewed. For more information on bead-based immunoassays, refer to the product insert for the BD CBA Cell Signaling Master Buffer Kit (Cat. No. 560005 or 560006).

This BD™ CBA Flex Set contains one vial of each component listed above. All components of this flex set have been formulated to a 50x concentration to ensure product performance when multiplexed. Store at 4°C. Protect PE Detection Reagent from prolonged exposure to light.

The Phospho p38 (T180/Y182) Standard provided in this Flex Set is lyophilized and the standard sphere should be transferred to a 1.5 ml microfuge tube for reconstitution.

Reconstitute the standard with 0.1 ml Assay Diluent from the BD CBA Cell Signaling Master

Product Details

Product Details		
	Buffer Kit (Cat. No. 560005/560006), warm to 37 °C and vortex prior to use. After reconstitution the standard concentration is 50,000 Units/ml and is stable for 3 months when stored at 4 °C. When using reconstituted standard, warm to 37 °C and vortex to mix thoroughly before use.	
Components:	Capture beads, detection reagent, standards	
Target Details		
Target:	MAPK14	
Alternative Name:	p38 (MAPK14 Products)	
Application Details		
Comment:	Bead Position: B6	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Reconstitution:	Reconstitute the standard with 0.1 mL Assay Diluent from the BD CBA Cell Signaling Master Buffer Kit (Cat. No. 560005/560006), warm to 37 °C and vortex prior to use. After reconstitution the standard concentration is 50,000 Units/mL and is stable for 3 months when stored at 4 °C. When using reconstituted standard, warm to 37 °C and vortex to mix thoroughly before use.	
Buffer:	Aqueous buffered solution containing BSA and ≤0.09 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C	
Storage Comment:	This BD™ CBA Flex Set contains one vial of each component listed above. All components of this flex set have been formulated to a 50x concentration to ensure product performance when multiplexed. Store at 4°C. Protect Capture Beads and the PE Detection Reagent from prolonged exposure to light. The Phospho p38 (T180/Y182) Standard provided in this Flex Set is lyophilized and the standard sphere should be transferred to a 1.5 mL microfuge tube for	

reconstitution. Reconstitute the standard with 0.1 mL Assay Diluent from the BD CBA Cell

Signaling Master Buffer Kit (Cat. No. 560005/560006), warm to 37 °C and vortex prior to use.

After reconstitution, the standard concentration is 50,000 Units/mL and is stable for 3 months when stored at 4 °C. When using reconstituted standard, warm to 37 °C and vortex to mix thoroughly before use.


Publications

Product cited in:

Boldt, Kolch: "Targeting MAPK signalling: Prometheus' fire or Pandora's box?" in: **Current pharmaceutical design**, Vol. 10, Issue 16, pp. 1885-905, (2004) (PubMed).

Yang, Sharrocks, Whitmarsh: "Transcriptional regulation by the MAP kinase signaling cascades." in: **Gene**, Vol. 320, pp. 3-21, (2003) (PubMed).

Images



ELISA

Image 1.