# antibodies -online.com





# anti-ZNF568 antibody (AA 451-560)



Go to Product page

$\sim$			
	N/P	r\/I	i⊢₩

Quantity:	100 μL
Target:	ZNF568
Binding Specificity:	AA 451-560
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF568 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human ZNF568
Isotype:	IgG
Predicted Reactivity:	Human,Cow,Horse,Chicken,Zebrafish
Purification:	Purified by Protein A.

## Target Details

Target:	ZNF568
Alternative Name:	ZNF568 (ZNF568 Products)

## Target Details

Background:	Synonyms: Zinc finger protein 568, ZNF568 protein Fragment, ZN568_HUMAN.		
	Background: Zinc-finger proteins contain DNA-binding domains and have a wide variety of		
	functions, most of which encompass some form of transcriptional activation or repression. The		
	majority of zinc-finger proteins contain a Kr_ppel-type DNA binding domain and a KRAB		
	domain, which is thought to interact with KAP1, thereby recruiting histone modifying proteins.		
	Zinc finger protein 568 (ZNF568) is a 644 amino acid member of the Kr_ppel C2H2-type zinc-		
	finger protein family. Localized to the nucleus, ZNF568 contains fifteen C2H2-type zinc fingers		
	and one KRAB domain through which it is thought to be involved in DNA-binding and		
	transcriptional regulation. Two isoforms of ZNF568 exist as a result of alternative splicing		
	events.		
Gene ID:	374900		
Application Details			
Application Notes:	WB 1:300-5000		
	ELISA 1:500-1000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
	ICC 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		

		1 .	
ш	land	linc	٩
	ıanıu	11111	J

Expiry Date:

12 months