antibodies - online.com







anti-beta 2 Defensin antibody (AA 24-64)



Publication



Overview

Quantity:	100 μL
Target:	beta 2 Defensin (BD-2)
Binding Specificity:	AA 24-64
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This beta 2 Defensin antibody is un-conjugated
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human beta 2 Defensin
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

Target Details

|--|

Target Details

Abstract:	BD-2 Products
Background:	Synonyms: BD-2, SAP1, DEFB2, DEFB4, HBD-2, DEFB-2, DEFB12, Beta-defensin 4A, Beta-
	defensin 2, Defensin, beta 2, Skin-antimicrobial peptide 1, DEFB4A
	Background: Beta-defensins (also designated BD, and hBD in human) are small cationic
	peptides with broad-spectrum antimicrobial activity. Produced in mucosal epithelia and
	neutrophils of several species, Beta-defensins are developmentally regulated. Human b-
	defensin 2 is locally regulated by inflammation and is the first member of the b-defensin family
	that is locally inducible by inflammation. The murine homolog of human b-defensin 2, which is
	called b-defensin 3, is present in the respiratory system and in low levels in the epithelial cells o
	the intestine and lung. The unique murine b-defensin 2 (Defb2) is not expressed in airways of
	untreated mice, but is upregulated in the airways by lipopolysaccharide and may contribute to
	host defense at the mucosal surface of the airways
Gene ID:	1673
UniProt:	015263
Application Details	
Application Notes:	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.

Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months
Publications	
Product cited in:	Al-Samadi, Salem, Ainola, Hietanen, Häyrinen-Immonen, Konttinen: "Increased beta 2 defensin
	in recurrent aphthous ulcer." in: Oral diseases , (2014) (PubMed).