antibodies -online.com







anti-CD4 antibody (AA 301-400)





Overview

Quantity:	100 μL
Target:	CD4
Binding Specificity:	AA 301-400
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD4 antibody is un-conjugated
Application:	Flow Cytometry (FACS), Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CD4
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details


Target:	CD4
Alternative Name:	CD4 (CD4 Products)
Background:	Synonyms: CD4mut, T-cell surface glycoprotein CD4, T-cell surface antigen T4/Leu-3, CD4

Target Details

Expiry Date:


12 months

l arget Details	
	Background: Accessory protein for MHC class-II antigen/T-cell receptor interaction. May
	regulate T-cell activation. Induces the aggregation of lipid rafts.
Gene ID:	920
UniProt:	P01730
Pathways:	TCR Signaling, Maintenance of Protein Location, CXCR4-mediated Signaling Events
Application Details	
Application Notes:	WB 1:300-5000
	FCM 1:20-100
	IHC-P 1:200-400
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.




Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Formalin-fixed and paraffin embedded human liver carcinoma labeled with Rabbit Anti-CD4 Polyclonal Antibody, Unconjugated at 1:200 followed by conjugation to the secondary antibody and DAB staining



Western Blotting

Image 2. Lane 1: Mouse Thymus Lane 2: Mouse embryo probed with Anti-CD4 Polyclonal Antibody at 1:5000 for 90 min at 37°C.



Western Blotting

Image 3. Mouse stomach probed with Anti-CD4 Polyclonal Antibody, Unconjugated at 1:5000 for 90 min at 37°C.

Please check the product details page for more images. Overall 4 images are available for ABIN1385275.