antibodies -online.com





anti-COPS6 antibody



Go to Product page

\sim					
	1/6	⊃r	\/I	\triangle	٨/

Quantity:	100 μL	
Target:	COPS6	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This COPS6 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human COPS6	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Purified by Protein A.	

Target Details

Target:	COPS6	
Alternative Name:	COPS6 (COPS6 Products)	
Background:	Synonyms: JAB1 containing signalosome subunit 6,COP9 subunit 6 MOV34 homolog, 34 kD,MOV34 homolog, 34 kD,COP9 constitutive photomorphogenic, subunit 6, COP9 complex	
	S6,COP9 signalosome complex subunit 6,COP9 signalosome subunit	

6,cops6,CSN6,CSN6_HUMAN,hVIP,JAB1-containing signalosome subunit 6,MOV34 homolog,MOV34-34KD,Sgn3,SGN6,Signalosome subunit 6,VIP/MOV34,Vpr interacting protein,Vpr-interacting protein.

Background: Component of the COP9 signalosome complex (CSN), a complex involved in various cellular and developmental processes. The CSN complex is an essential regulator of the ubiquitin (UbI) conjugation pathway by mediating the deneddylation of the cullin subunits of SCF-type E3 ligase complexes, leading to decrease the UbI ligase activity of SCF-type complexes such as SCF, CSA or DDB2. The complex is also involved in phosphorylation of p53/TP53, c-jun/JUN, IkappaBalpha/NFKBIA, ITPK1 and IRF8, possibly via its association with CK2 and PKD kinases. CSN-dependent phosphorylation of TP53 and JUN promotes and protects degradation by the UbI system, respectively. Has some glucocorticoid receptor-responsive activity.

Gene ID: 10980

Pathways: Cell Division Cycle

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IF(IHC-P) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months