.-online.com antibodies

Datasheet for ABIN1385628 anti-PPT2 antibody (AA 221-302)



Overview

Quantity:	100 µL
Target:	PPT2
Binding Specificity:	AA 221-302
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PPT2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PPT2
Isotype:	lgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	PPT2
Alternative Name:	PPT2 (PPT2 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1385628 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Target Details

Background:

Synonyms: Lysosomal thioesterase PPT2, Palmitoyl protein hydrolase 2, Palmitoyl protein thioesterase 2, PPT 2, PPT 2, Ppt2, PPT2_HUMAN, S thioesterase G14, S-thioesterase G14. Background: PPT2 (palmitoyl-protein thioesterase 2), also known as G14, is a 302 amino acid glycosylated protein that localizes to the lysosome and belongs to the palmitoyl-protein thioesterase family. Expressed throughout the body with highest levels in skeletal muscle, PPT2 functions to remove thioester-linked fatty acyl groups from a variety of substrates, including S-palmitoyl-CoA, thereby playing an important role in lipid metabolism. PPT2 operates at an optimal pH of 7 and exhibits the highest activity for the acyl groups on myristic and palmitic acids, with lower levels of activity toward other short- and long-chain acyl substrates. PPT2 exists as two isoforms, one of which is expressed at low levels and is catalytically inactive.

Application Details

Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Format: Concentration:	Liquid 1 µg/µL
Concentration:	1 μg/μL
Concentration: Buffer:	1 μg/μL 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Concentration: Buffer: Preservative:	1 μg/μL 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol. ProClin
Concentration: Buffer: Preservative:	1 μg/μL 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol. ProClin This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
Concentration: Buffer: Preservative: Precaution of Use:	 1 μg/μL 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol. ProClin This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN1385628 | 03/07/2024 | Copyright antibodies-online. All rights reserved.