antibodies

Datasheet for ABIN1385647 anti-GLCCI1 antibody (AA 201-300)



Overview

Quantity:	100 μL
Target:	GLCCI1
Binding Specificity:	AA 201-300
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GLCCI1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin- embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GLCCI1
Isotype:	lgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Horse,Chicken
Purification:	Purified by Protein A.
Target Details	
-	

Target:

GLCCI1

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1385647 | 03/08/2024 | Copyright antibodies-online. All rights reserved.

Target Details		
Alternative Name:	GLCCI1 (GLCCI1 Products)	
Background:	Synonyms: FAM117C, GIG18, GLCCI1, GLCI1_HUMAN, Glucocorticoid induced transcript 1,	
	Glucocorticoid-induced transcript 1 protein, TSSN1.	
	Background: GLCCI1, also known as TSSN1, GIG18 or FAM117C, is a 547 amino acid protein	
	found in thymus and CD4(+)CD8(+) cells during specific stages of spermatogenesis in testis.	
	Subject to phosphorylation, GLCCI1 is encoded by a gene located on human chromosome 7,	
	which houses over 1,000 genes and comprises nearly 5 % of the human genome. Chromosom	
	7 has been linked to Osteogenesis imperfecta, Pendred syndrome, Lissencephaly, Citrullinemia	
	and Shwachman-Diamond syndrome. The deletion of a portion of the q arm of chromosome 7	
	is associated with Williams-Beuren syndrome, a condition characterized by mild mental	
	retardation, an unusual comfort and friendliness with strangers and an elfin appearance.	
	Deletions of portions of the q arm of chromosome 7 are also seen in a number of myeloid	
	disorders including cases of acute myelogenous leukemia and myelodysplasia.	
Gene ID:	113263	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	

 Precaution of Use:
 This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

 handled by trained staff only.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN1385647 | 03/08/2024 | Copyright antibodies-online. All rights reserved.

Handling	
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months