antibodies -online.com







anti-SLC2A4RG antibody

\sim		
Ove	\r\/I	$\triangle VV$
\cup	: I V I	\subset \vee \vee

Quantity:	100 μL
Target:	SLC2A4RG
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC2A4RG antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human SLC2A4RG/GLUT4 enhancer factor
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Purification:	Purified by Protein A.

Target Details

Target:	SLC2A4RG
Alternative Name:	SLC2A4RG (SLC2A4RG Products)
Background:	Synonyms: GEF, GLUT4 enhancer factor, HDBP 1, HDBP-1, HDBP1, Huntington disease gene regulatory region binding protein 1, Huntington disease gene regulatory region-binding protein
	1, S2A4R_HUMAN, Si 1 2 19, Si 1 2, SLC2A4 regulator, SLC2A4RG, Zinc finger protein 2 5 Glut4

Target Details

Cana ID:	F6791
	[provided by RefSeq, Jul 2008].
	another transcription factor, myocyte enhancer factor 2, to activate transcription of this gene.
	activation of the solute carrier family 2 member 4 gene. The encoded protein interacts with
	Background: The protein encoded by this gene is a nuclear transcription factor involved in the
	enhancer factor.

Gene ID: 56731

Pathways: **AMPK Signaling**

Application Details

Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IF(IHC-P) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months