antibodies - online.com







anti-FOXB1 antibody (AA 1-100)



Image



Overview

Quantity:	100 μL
Target:	FOXB1
Binding Specificity:	AA 1-100
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FOXB1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FOXB1
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human, Mouse, Cow, Sheep, Chicken
Purification:	Purified by Protein A.

Target Details

Target:	FOXB1		
---------	-------	--	--

Target Details

Alternative Name:	FOXB1 (FOXB1 Products)
Alternative Name.	TOABT (TOABTTTOUGES)
Background:	Synonyms: FKH 5, FKH5, Forkhead box B1, Forkhead box protein B1, FOX B1, FOXB 1, HFKH 5,
	Transcription factor FKH 5, Transcription factor FKH5, FOXB1_HUMAN.
	Background: The Forkhead-box (FOX) genes comprise a superfamily of at least 43 members
	that encode proteins which are involved in transcriptional regulation and may be associated
	with the pathogenesis of various cancers. FOXB1 (forkhead box B1), also known as FKH5 or
	HFKH-5, and FOXB2 (forkhead box B2) are members of the FOX family and each contain one
	forkhead DNA-binding domain. Both FOXB1 and FOXB2 localize to the nucleus where they are
	thought to function as transcription factors that can bind to DNA via their forkhead domains. In
	mice, defects in the gene encoding FOXB1 are associated with retarded development of the
	central nervous system (CNS), suggesting that FOXB1 may play a role in CNS organization and
	function.
Application Details	

Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500

For Research Use only

4 °C,-20 °C

Restrictions:


Storage:

Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Formalin-fixed and paraffin embedded rat brain labeled with Anti-FOXB1 Polyclonal Antibody, Unconjugated at 1:200 followed by conjugation to the secondary antibody and DAB staining.