# antibodies -online.com





## anti-GTDC1 antibody (AA 361-458)



#### Overview

Quantity:	100 μL
Target:	GTDC1
Binding Specificity:	AA 361-458
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GTDC1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

#### **Product Details**

	I conjugated synthetic peptide derived from human GTDC1
Isotype: IgG	
Predicted Reactivity: Hum	nan,Mouse,Rat,Dog,Pig,Horse,Rabbit,Zebrafish
Purification: Puri	fied by Protein A.

## **Target Details**

Target:	GTDC1
Alternative Name:	GTDC1 (GTDC1 Products)

#### Target Details

Bacl	//	ro	ıın	٨.
Daci	ĸα	ΙU	uu	u.

Synonyms: Glycosyltransferase like 1, Glycosyltransferase like domain containing 1, Glycosyltransferase like domain containing protein 1, Mannosyltransferase candidate,

GTDC1\_HUMAN.

Background: Glycosyltransferases that mediate the regio- and stereoselective transfer of sugars, such as the fucosyltransferases, determine cell surface-carbohydrate profiles, which is an essential interface for biological recognition processes. GTDC1 (Glycosyltransferase-like domain-containing protein 1), also known as Mat-Xa, is a 458 amino acid protein belonging to the glycosyltransferase 1 family. GTDC1 is ubiquitously expressed, with highest levels found in peripheral blood leukocytes, spleen, lung and testis. An extremely rare recessive genetic disorder, Alstr syndrome, is caused by mutations in the ALMS1 gene, which maps to chromosome 2.

Gene ID:

79712

### **Application Details**

Application Notes: WB 1:300-5000

ELISA 1:500-1000

IHC-P 1:200-400

IHC-F 1:100-500

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

ICC 1:100-500

Restrictions:

For Research Use only

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C

## Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months