# antibodies .- online.com





## anti-CPT1C antibody (AA 121-170)



$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL
Target:	CPT1C
Binding Specificity:	AA 121-170
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CPT1C antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)),
	Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-
	embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)),
	Immunocytochemistry (ICC)

#### Product Details

FTOGUCE Details	
Immunogen:	KLH conjugated synthetic peptide derived from human Cpt1c
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Pig,Horse
Purification:	Purified by Protein A.
Target Dataila	

#### Target Details

Target:	CPT1C	
Alternative Name:	Cpt1c (CPT1C Products)	

#### Target Details

Background:
-------------

Synonyms: CPT1-C, Carnitine acyltransferase like protein 1, Carnitine acyltransferase like protein1, Carnitine O palmitoyltransferase I, brain isoform, Carnitine palmitoyltransferase 1, brain, Carnitine palmitoyltransferase 1C, Carnitine palmitoyltransferase I related C, Carnitine palmitoyltransferase1C, CAT L1, CATL 1, CATL 1, CPT 1 like pseudogene, Cpt 1c, CPT 1P, CPT I C, Cpt1 c, CPT1 like pseudogene, CPT1P, CPTIC.CPT1C\_HUMAN

Background: The Cpt1 family of proteins are outer mitochondrial membrane proteins that regulate the entry into, and oxidation of fatty acids by, mitochondria. Malonyl-CoA, an intermediate in fatty acid synthesis, has been implicated as a regulatory component of the energy sensing system that feeds into hypothalmic neurons to impart energy homeostasis.

Malonyl-CoA levels in the hypothalamus are dynamically regulated by fasting and feeding, altering subsequent feeding behaviour. Cpt1c, the brain-specific carnitine O-palmitoyltransferase 1, is thought to relay information about malonyl-CoA levels in hypothalamic neurons that express orexigenic and anorexigenic neuropeptides that regulate food intake and peripheral energy expenditure. Unlike other Cpt1 proteins, Cpt1c binds Malonyl-CoA but does not catalyse the transfer of the malonyl group from CoA to carnitine.

Gene ID: 126129

Pathways: AMPK Signaling, Monocarboxylic Acid Catabolic Process

#### **Application Details**

Application Notes: WB 1:300-5000

ELISA 1:500-1000

IHC-P 1:200-400

IHC-F 1:100-500

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

ICC 1:100-500

Restrictions: For Research Use only

#### Handling

Format: Liquid 
Concentration:  $1 \mu g/\mu L$  
Buffer: 0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.

### Handling

Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	
Expiry Date:	12 months	