# antibodies - online.com







# anti-ARHGAP32 antibody (AA 860-896)

**Images** 



### Overview

Quantity:	100 μL
Target:	ARHGAP32
Binding Specificity:	AA 860-896
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ARHGAP32 antibody is un-conjugated
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

# **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human ARHGAP32
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

# **Target Details**

Target:	ARHGAP32
Alternative Name:	ARHGAP32 (ARHGAP32 Products)
Background:	Synonyms: GRIT, RICS, GC-GAP, PX-RICS, p250GAP, p200RhoGAP, Rho GTPase-activating

protein 32, Brain-specific Rho GTPase-activating protein, GAB-associated Cdc42/Rac GTPase-activating protein, GTPase regulator interacting with TrkA, Rho-type GTPase-activating protein 32, Rho/Cdc42/Rac GTPase-activating protein RICS, RhoGAP involved in the beta-catenin-N-cadherin and NMDA receptor signaling, ARHGAP32, KIAA0712

Background: GTPase-activating protein (GAP) promoting GTP hydrolysis on RHOA, CDC42 and RAC1 small GTPases. May be involved in the differentiation of neuronal cells during the formation of neurite extensions. Involved in NMDA receptor activity-dependent actin reorganization in dendritic spines. May mediate cross-talks between Ras- and Rho-regulated signaling pathways in cell growth regulation. Isoform 2 has higher GAP activity (By similarity).

Gene ID:

UniProt: A7KAX9

# **Application Details**

Application Notes: IHC-P 1:200-400


IF(IHC-P) 1:50-200

9743

Restrictions: For Research Use only


# Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months



# **Immunohistochemistry**

**Image 1.** Formalin-fixed and paraffin embedded rat brain tissue labeled with Anti-ARHGAP32 Polyclonal Antibody, Unconjugated (ABIN1386112) at 1:200 followed by conjugation to the secondary antibody and DAB staining



#### **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 2.** Formalin-fixed and paraffin embedded rat brain tissue labeled with Anti-ARHGAP32 Polyclonal Antibody, Unconjugated at 1:200 followed by conjugation to the secondary antibody and DAB staining