.-online.com antibodies

Datasheet for ABIN1386248 anti-DIS3L2 antibody



Overview

Quantity:	100 µL
Target:	DIS3L2
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DIS3L2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DIS3L2
Isotype:	lgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	DIS3L2
Alternative Name:	DIS3L2 (DIS3L2 Products)
Background:	Synonyms: DIS3 L2, DIS3 mitotic control homolog S. cerevisiae like 2, DIS3 mitotic control homolog like 2, FLJ36974, MGC42174, DI3L2_HUMAN.
	Background: The exosome is a multisubunit complex composed of several highly conserved

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1386248 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

cellular processes and i elements in their untrar protein that is thought ti of pre-mRNA into matu encoding DIS3L2 may b by abnormalities in the isoforms due to alternalGene ID:129563Pathways:Stem Cell MaintenanceApplication DetailsWB 1:300-5000 IHC-P 1:200-400 IF(IHC-P) 1:50-200Restrictions:For Research Use onlyHandling	
elements in their untrar protein that is thought to of pre-mRNA into mature encoding DIS3L2 may bo by abnormalities in the isoforms due to alternationGene ID:129563Pathways:Stem Cell MaintenanceApplication DetailsWB 1:300-5000 IHC-P 1:200-400 IF(IHC-P) 1:50-200Restrictions:For Research Use onlyHandling	nslated 3? region. DIS3L2 (DIS3-like exonuclease 2) is an 885 amino acid to function as an exonuclease and may be required for the 3? processing ure mRNA. Defects or chromosomal translocations involving the gene be associated with Marfanoid habitus, a genetic disorder characterized skeleton, eyes and cardiovascular system. DIS3L2 is expressed as five ative splicing events.
protein that is thought to of pre-mRNA into mature encoding DIS3L2 may be by abnormalities in the isoforms due to alternalGene ID:129563Pathways:Stem Cell MaintenanceApplication DetailsWB 1:300-5000 IFC-P 1:200-400 IF(IHC-P) 1:50-200Restrictions:For Research Use onlyHandling	to function as an exonuclease and may be required for the 3? processing ure mRNA. Defects or chromosomal translocations involving the gene be associated with Marfanoid habitus, a genetic disorder characterized skeleton, eyes and cardiovascular system. DIS3L2 is expressed as five ative splicing events.
of pre-mRNA into matu encoding DIS3L2 may b by abnormalities in the isoforms due to alterna Gene ID: 129563 Pathways: Stem Cell Maintenance Application Details Application Notes: WB 1:300-5000 IHC-P 1:200-400 IF(IHC-P) 1:50-200 Restrictions: For Research Use only Handling	are mRNA. Defects or chromosomal translocations involving the gene be associated with Marfanoid habitus, a genetic disorder characterized skeleton, eyes and cardiovascular system. DIS3L2 is expressed as five ative splicing events.
encoding DIS3L2 may be by abnormalities in the isoforms due to alterna Gene ID: 129563 Pathways: Stem Cell Maintenance Application Details Application Notes: WB 1:300-5000 IHC-P 1:200-400 IF(IHC-P) 1:50-200 Restrictions: For Research Use only Handling	be associated with Marfanoid habitus, a genetic disorder characterized skeleton, eyes and cardiovascular system. DIS3L2 is expressed as five ative splicing events.
by abnormalities in the isoforms due to alternal Gene ID: 129563 Pathways: Stem Cell Maintenance Application Details Application Notes: WB 1:300-5000 IHC-P 1:200-400 IF(IHC-P) 1:50-200 Restrictions: For Research Use only Handling	skeleton, eyes and cardiovascular system. DIS3L2 is expressed as five ative splicing events.
isoforms due to alterna Gene ID: 129563 Pathways: Stem Cell Maintenance Application Details Application Notes: WB 1:300-5000 IHC-P 1:200-400 IF(IHC-P) 1:50-200 Restrictions: For Research Use only Handling	ative splicing events.
Gene ID:129563Pathways:Stem Cell MaintenanceApplication DetailsApplication Notes:WB 1:300-5000IHC-P 1:200-400IF(IHC-P) 1:50-200Restrictions:For Research Use onlyHandling	
Pathways: Stem Cell Maintenance Application Details Image: Color Steps of the s	
Application Details Application Notes: WB 1:300-5000 IHC-P 1:200-400 IF(IHC-P) 1:50-200 Restrictions: For Research Use only Handling	
Application Notes: WB 1:300-5000 IHC-P 1:200-400 IF(IHC-P) 1:50-200 Restrictions: For Research Use only Handling	
IHC-P 1:200-400 IF(IHC-P) 1:50-200 Restrictions: For Research Use only Handling	
IF(IHC-P) 1:50-200 Restrictions: For Research Use only Handling	
Restrictions: For Research Use only Handling	
Handling	
Format: Liquid	
Concentration: 1 µg/µL	
Buffer: 0.01M TBS(pH 7.4) wit	th 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative: ProClin	
Precaution of Use: This product contains F	ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
handled by trained staft	f only.
Storage: 4 °C,-20 °C	
Storage Comment: Shipped at 4°C. Store a	
Expiry Date: 12 months	t -20°C for one year. Avoid repeated freeze/thaw cycles.