# antibodies -online.com





anti-SORCS3 antibody (AA 201-300)



Go to Product page

$\sim$		
$\bigcap \bigvee \in$	K\ /I	$\triangle V V V$

Quantity:	100 μL
Target:	SORCS3
Binding Specificity:	AA 201-300
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SORCS3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human SORCS3
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human, Mouse, Dog, Cow, Sheep, Pig, Chicken
Purification:	Purified by Protein A.

#### **Target Details**

Target: SORCS3
----------------

### **Target Details**

Alternative Name:	SORCS3 (SORCS3 Products)
Background:	Synonyms: 6330404A12Rik, KIAA1059, RP11 107L7.1, SORC3_HUMAN, SORCS 3, SORCS,
	SORCS3, Sortilin related VPS10 domain containing receptor 3, VPS10 domain containing
	receptor SorCS3, VPS10 domain receptor protein SORCS 3, VPS10 domain-containing receptor
	SorCS3.
	Background: This gene encodes one family member of vacuolar protein sorting 10 (VPS10)
	domain-containing receptor proteins. The VPS10 domain name comes from the yeast
	carboxypeptidase Y sorting receptor Vps10 protein. Members of this gene family are large with
	many exons but the CDS lengths are usually less than 3700 nt. Very large introns typically
	separate the exons encoding the VPS10 domain, the remaining exons are separated by much
	smaller-sized introns. These genes are strongly expressed in the central nervous system. Two
	of the five family members (sortilin and sortilin-related receptor) are synthesized as
	preproproteins, it is not yet known if this encoded protein is also a preproprotein.
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should b

handled by trained staff only.

## Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months