antibodies .- online.com







anti-RP1 antibody (AA 451-550)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	RP1
Binding Specificity:	AA 451-550
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RP1 antibody is un-conjugated
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human RP1/Oxygen-regulated protein 1
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Horse,Rabbit
Purification:	Purified by Protein A.
Target Details	

Target:	RP1
Alternative Name:	Oxygen-regulated protein 1 (RP1 Products)

Target Details

Background:

Synonyms: DCDC4A, ORP1, Oxygen-regulated protein 1, Retinitis pigmentosa 1 protein, Retinitis pigmentosa RP1 protein, RP1, RP1_HUMAN.

Background: Retinitis pigmentosa 1 is a novel 2,156 amino acid oxygen-regulated photoreceptor specific to retina. Originally named ORP1 (for 'oxygen-regulated protein-1'), the expression of retinitis pigmentosa 1 has been found to be regulated by oxygen levels in the retina. Mutation of the retinitis pigmentosa 1 gene causes dominant retinitis pigmentosa which leads to degeneration of retinal photoreceptor cells and symptoms such as night vision blindness and deficits in the midperipheral visual field. Retinitis pigmentosa 1 may assist in differentiation of photoreceptor cells and has been identified in the cilia of photoreceptors, possibly aiding in both cilial structure and protein transport between inner and outer segments of photoreceptors. Retinitis pigmentosa 1 contains two doublecortin domains and is encoded by a gene which maps to human chromosome 8q11-q13.

Application Details

Application Notes:	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months