

[Go to Product page](#)

## Datasheet for ABIN1386380 **anti-STXBP6 antibody (AA 1-100)**

### Overview

Quantity:	100 µL
Target:	STXBP6
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STXBP6 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Amisyn
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Cow, Sheep, Chicken, Rabbit
Purification:	Purified by Protein A.

### Target Details

Target:	STXBP6
Alternative Name:	Amisyn ( <a href="#">STXBP6 Products</a> )

## Target Details

Background:	<p>Synonyms: Amisyn, HSPC156, STXB6_HUMAN, STXBP6, Syntaxin binding protein 6, Syntaxin-binding protein 6.</p> <p>Background: Amisyn is a mostly cytosolic protein related to Tomosyn which plays an important role in SNARE complex assembly. Amisyn contains a v-SNARE coiled coil homology domain that binds to Syntaxin 1A and weakly to Syntaxin 4. Three isoforms exist for Amisyn. Isoform 1 is the full length protein, isoform 2 has a different amino acid sequence between residues 204-210 and isoform 3 is missing amino acids 1-102 and contains a different sequence for amino acids 103-150. Amisyn lacks a transmembrane domain and therefore is unable to assemble into a functional, membrane-anchored SNARE complex. This suggests that Amisyn may instead be acting to maintain SNARE conformation and facilitate the binding of VAMP-2. Amisyn can inhibit exocytosis independent of Syntaxin binding.</p>
-------------	--

## Application Details

Application Notes:	<p>WB 1:300-5000</p> <p>ELISA 1:500-1000</p> <p>IHC-P 1:200-400</p> <p>IHC-F 1:100-500</p> <p>IF(IHC-P) 1:50-200</p> <p>IF(IHC-F) 1:50-200</p> <p>IF(ICC) 1:50-200</p> <p>ICC 1:100-500</p>
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

## Handling

---

Expiry Date: 12 months