

[Go to Product page](#)

Datasheet for ABIN1386533 **anti-RIMS4 antibody (AA 1-100)**

Overview

Quantity:	100 µL
Target:	RIMS4
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RIMS4 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin- embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human RIMS4
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Cow,Sheep,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	RIMS4
Alternative Name:	RIMS4 (RIMS4 Products)

Target Details

Background:	<p>Synonyms: C20orf190, dJ781B1.3, Rab3-interacting molecule 4, regulating synaptic membrane exocytosis 4, Regulating synaptic membrane exocytosis protein 4, RIM 4, RIM4 gamma, Rims4, RIMS4_HUMAN.</p> <p>Background: Rim4 (Rab 3 interacting molecule 4), also known as Rim4 or regulating synaptic membrane exocytosis protein 4, is a 269 amino acid protein that localizes to the cell junction and regulates synaptic membrane exocytosis. Rab 3, a neural/neuroendocrine-specific member of the Rab family, is involved in Ca²⁺-regulated exocytosis. Rab 3 functions in an inhibitory capacity by controlling the recruitment of secretory vesicles into a releasable pool at the plasma membrane. Rim (Rab 3 interacting molecule), a putative effector protein for Rab 3 proteins, is thought to regulate neurotransmitter release through its interaction with Rab 3 and other synaptic proteins.</p>
Gene ID:	140730
Pathways:	Synaptic Vesicle Exocytosis

Application Details

Application Notes:	<p>WB 1:300-5000</p> <p>ELISA 1:500-1000</p> <p>IHC-P 1:200-400</p> <p>IHC-F 1:100-500</p> <p>IF(IHC-P) 1:50-200</p> <p>IF(IHC-F) 1:50-200</p> <p>IF(ICC) 1:50-200</p> <p>ICC 1:100-500</p>
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months