



[Go to Product page](#)

## Datasheet for ABIN1386675 **anti-GABRG3 antibody (AA 31-130)**

### Overview

Quantity:	100 µL
Target:	GABRG3
Binding Specificity:	AA 31-130
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GABRG3 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GABRG3/GABA A Receptor gamma 3
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat
Purification:	Purified by Protein A.

### Target Details

Target:	GABRG3
Alternative Name:	GABRG3/GABA A Receptor gamma 3 ( <a href="#">GABRG3 Products</a> )
Background:	Synonyms: GABAA receptor, GABAA receptor subunit gamma 3, GABR G3, GABRG 3, GABRG3,

## Target Details

Gamma aminobutyric acid GABA A receptor gamma 3, Gamma aminobutyric acid A receptor gamma 3, Gamma aminobutyric acid receptor subunit gamma 3, GBRG3\_HUMAN.

Background: GAD-65 and GAD-67, glutamate decarboxylases, function to catalyze the production of GABA (gamma-aminobutyric acid). In the central nervous system GABA functions as the main inhibitory transmitter by increasing a Cl<sup>-</sup> conductance that inhibits neuronal firing. GABA has been shown to activate both ionotropic (GABAA) and metabotropic (GABAB) receptors as well as a third class of receptors called GABAC. Both GABAA and GABAC are ligand-gated ion channels, however, they are structurally and functionally distinct. Members of the GABAA receptor family include GABAA R Alpha 1-6, GABAA R Beta 1-3, GABAA R Gamma 1-3, GABAA R Delta, GABAA R Epsilon, GABAA R Zeta 1 and GABAA R Zeta 2. The GABAB family is composed of GABAB R1 Alpha and GABAB R1 Beta. GABA transporters have also been identified and include GABA T-1, GABA T-2 and GABA T-3 (also designated GAT-1, -2, and -3). The GABA transporters function to terminate GABA action.

## Application Details

Application Notes:	WB 1:300-5000 ELISA 1:500-1000
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months