.-online.com antibodies

## Datasheet for ABIN1386679 anti-MPDZ antibody (AA 388-480)



Overview

Quantity:	100 µL
Target:	MPDZ
Binding Specificity:	AA 388-480
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MPDZ antibody is un-conjugated
Application:	Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MUPP1/MPDZ
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Horse,Rabbit
Purification:	Purified by Protein A.
Torgot Dataila	

Target Details

#### Target:

MPDZ

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1386679 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Alternative Name:	MUPP1/MPDZ (MPDZ Products)
Background:	Synonyms: MPDZ, Multi PDZ domain protein 1, Multi-PDZ domain protein 1, multiple PDZ
	domain protein, MPDZ_HUMAN.
	Background: MPDZ is a 2,042 amino acid peripheral membrane protein that colocalizes with
	SR-2C on the apical membrane of epithelial choroid plexus cells. Expressed in heart, brain,
	placenta, liver, skeletal muscle, kidney and pancreas, MPDZ causes clustering of SR-2C, a
	serotonin receptor, at the cell surface. MPDZ is member of the NMDAR signaling complex that
	is involved in regulating AMPAR potentiation and synaptic plasticity in excitatory synapses. As a
	tight junction protein in epithelial cells, MPDZ interacts with SSTR3, a G-protein-coupled
	receptor, to regulate transepithelial permeability in a pertussis toxin sensitive manner. MPDZ,
	along with Kir4.2, may form a complex with other proteins in the nephron and regulate ion
	transport. MPDZ contains one L27 domain and thirteen PDZ domains.
Pathways:	Synaptic Membrane, Phototransduction

# Application Details

Application Notes:	ELISA 1:500-1000
	FCM 1:20-100
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN1386679 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Handling	
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN1386679 | 03/07/2024 | Copyright antibodies-online. All rights reserved.