antibodies -online.com





anti-Calcyphosine antibody (AA 101-189)



Overview

Quantity:	100 μL
Target:	Calcyphosine (CAPS)
Binding Specificity:	AA 101-189
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Calcyphosine antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)),
	Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunocytochemistry (ICC),
	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry
	(Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Calcyphosine 1
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Dog,Cow,Sheep,Pig,Rabbit
Purification:	Purified by Protein A.

Target Details

Target: Calcyphosine (CAPS)

Target Details

Alternative Name:	Calcyphosine 1/CAPS1 (CAPS Products)
Background:	Synonyms: Calcyphosin, Calcyphosine 1, Calcyphosine, CAPS, CAPS1, CAYP1_HUMAN, Thyroid
	protein p24.
	Background: CAPS1 is a 189 amino acid cytoplasmic protein that contains four EF-hand
	domains, which serve as calcium-binding sites, and was first identified in canine thyroid.
	Interestingly, CAPS1 is much less abundant in humans than in canines. Synthesis and
	phosphorylation of CAPS1 is upregulated by cAMP-agonists in thyrocytes. CAPS1 likely
	functions in the regulation of ionic transport and may be involved in cross-signaling between
	cAMP and Ca(+2)-phophatidylinositol cascades. In addition to thyriod, CAPS1 is expressed in
	brain, salivary glands and lung. Expression of CAPS1 is increased in endometrial cancer and
	prognosis seems to be dependent on the level of CAPS1 expression, indicating that CAPS1 may
	be an appropriate prognostic marker for patient survival.

Application Details

Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months