antibodies - online.com







anti-KCNF1 antibody (AA 161-260)



()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Quantity:	100 μL
Target:	KCNF1
Binding Specificity:	AA 161-260
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KCNF1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human KCNF1
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit,Guinea Pig
Purification:	Purified by Protein A.

Target Details

Target: KCNF1

Target Details

Alternative Name:	KCNF1 (KCNF1 Products)		
Background:	Synonyms: IK 8, IK8, KCNF 1, KCNF, Kcnf1, KCNF1_HUMAN, kH 1, kH1, KV5.1, Potassium		
	voltage-gated channel subfamily F member 1, MGC33316, Potassium channel KH1, Potassium		
	channel Kv5.1, Potassium voltage gated channel subfamily F member 1, Potassium voltage-		
	gated channel subfamily F member 1, Voltage gated potassium channel subunit Kv5.1, Voltage		
	gated potassium channel subunit Kv5.1.		
	Background: KCNF1 is a multi-pass membrane-bound protein that acts as an ion channel and i		
	generally expressed as a heterotetramer of potassium channeling proteins. Formerly known as		
	kH1, KCNF1 is usually found as a heteromer with three other potassium channel proteins,		
	KCNG3, KV6.3 and KCNV2. As a potassium channel protein, KCNF1 plays a role in regulating		
	apoptosis and proliferation of pulmonary artery smooth muscle (PASM) cells. Bone		
	morphogenetic proteins (BMPs) restrict proliferation and can induce apoptosis in normal		
	human PASM cells and will upregulate expression of KCNF1 in PASM cells in vitro. KCNF1 is		
	expressed in heart, brain, liver, skeletal muscle, kidney and pancreas.		
Application Details			
Application Notes:	WB 1:300-5000		
	ELISA 1:500-1000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
	ICC 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		

handled by trained staff only.

Handling

Storage:	4 °C,-20 °C
Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	
Expiry Date:	12 months