antibodies -online.com





anti-ZNF350 antibody (AA 101-220)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	ZNF350
Binding Specificity:	AA 101-220
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF350 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ZNF350/ZBRK1	
Isotype:	IgG	
Predicted Reactivity:	Human	
Purification:	Purified by Protein A.	

Target Details

Target:	ZNF350
Alternative Name:	ZNF350/ZBRK1 (ZNF350 Products)

Target Details

Background:	Synonyms: KRAB zinc finger protein ZFQR, ZBRK1, ZFQR, Zinc finger and BRCA1 interacting		
	protein with a KRAB domain 1, Zinc finger and BRCA1-interacting protein with a KRAB domain		
	1, Zinc finger protein 350, Zinc finger protein ZBRK1, ZN350_HUMAN, ZNF350.		
	Background: The transcpritional repressor ZBRK1, also designated zinc finger and BRCA1-		
	interacting protein with a KRAB domain 1 or zinc finger protein 350, belongs to the Kr_ppel		
	C2H2-type zinc-finger protein family of proteins. ZBRK1 localizes mainly to the nucleus and		
	may be associated with the nuclear matrix. It is a widely expressed protein that binds to BRCA1		
	ZBRK1 plays an important role in transcriptional regulation. Likely targets of gene regulation are		
	DNA damage response genes, which effect the survival and growth control of cells. ZBRK1		
	contains an N-terminal KRAB domain, a C-terminal BRCA1-binding region and eight central zinc		
	fingers.		
Gene ID:	59348		
Application Details			
Application Notes:	ELISA 1:500-1000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
	ICC 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months