antibodies .- online.com







anti-DPYSL3 antibody (AA 465-570)



()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Quantity:	100 μL
Target:	DPYSL3
Binding Specificity:	AA 465-570
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DPYSL3 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CRMP4/DRP3
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Horse
Purification:	Purified by Protein A.
Target Details	

rarget Details

Target:	DPYSL3
Alternative Name:	Crmp4 (DPYSL3 Products)

Target Details

Background:	Synonyms: Unc 33 like phosphoprotein, Collapsin response mediator protein 4, Collapsin		
	response mediator protein 4 long, CRMP 4, CRMP4, Dihydropyrimidinase like 3,		
	Dihydropyrimidinase related protein 3, DPYSL3, DRP 3, DRP3, LCRMP, TUC4, Ulip 1, ULIP, ULIP1,		
	UNc 33 like phosphoprotein 1, Unc 33 like phosphoprotein.		
	Background: The collapsin response mediator protein (CRMP) family of five cytosolic		
	phosphoproteins are highly expressed throughout brain development. The functions of CRMPs		
	encompass signal transduction in developmental guidance cues as well as multiple cellular and		
	molecular events involved in apoptosis/proliferation, cell migration, and differentiation. In the		
	adult brain, the expression of CRMPs is dramatically downregulated. However, CRMPs remain		
	expressed in structures that retain their capacity for differentiation and plasticity. The		
	expression of CRMPs is altered in neurodegenerative diseases, and these proteins may have a		
	role in the physiopathology of the adult nervous system.		
Gene ID:	1809		
Application Details			
Application Notes:	ELISA 1:500-1000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months