antibodies -online.com





anti-TM9SF4 antibody (AA 101-200)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	TM9SF4
Binding Specificity:	AA 101-200
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TM9SF4 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human TM9SF4
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target: TM9SF4

Target Details

rarget Details		
Alternative Name:	TM9SF4 (TM9SF4 Products)	
Background:	Synonyms: dJ836N17.2, Transmembrane 9 superfamily member 4, TM9SF4, KIAA0255	
	Background: Representing about 2 % of human DNA, chromosome 20 consists of	
	approximately 63 million bases and 600 genes. Chromosome 20 contains a region with	
	numerous genes expressed in the epididymis which are thought important for seminal	
	production and some viewed as potential targets for male contraception. The PRNP gene	
	encoding the prion protein associated with spongiform encephalopathies, like Creutzfeldt-	
	Jakob disease, is found on chromosome 20. Amyotrophic lateral sclerosis, spinal muscular	
	atrophy, ring chromosome 20 epilepsy syndrome and Alagille syndrome are also associated	
	with chromosome 20.	
Gene ID:	9777	
UniProt:	Q92544	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months