antibodies -online.com







anti-HSPB7 antibody (AA 135-170)



Image



Overview

Quantity:	100 μL
Target:	HSPB7
Binding Specificity:	AA 135-170
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HSPB7 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human HSPB7/cvHSP
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	HSPB7
Alternative Name:	HSPB7 (HSPB7 Products)
Background:	Synonyms: cvHSP, Heat shock protein beta-7, HspB7, Cardiovascular heat shock protein

Background: The heat shock proteins (HSPs) comprise a group of highly conserved, abundantly expressed proteins with diverse functions, including the assembly and sequestering of multiprotein complexes, transportation of nascent polypeptide chains across cellular membranes and regulation of protein folding. Heat shock proteins (also known as molecular chaperones) fall into six general families: HSP 90, HSP 70, HSP 60, the small HSPs, the immunophilins and the HSP 110 family. HSPB7 (heat shock 27 kDa protein family, member 7), also known as cvHSP (cardiovascular heat shock protein) or Heat shock protein beta-7, is a member of the small HSP (sHSP) family expressed in heart and skeletal muscle. Members of the sHSP family contain a conserved C-terminal ?crystallin domain and typically function in homo- or heteromeric complexes. The sHSPs bind to denatured proteins and are responsible for preventing the aggregation of these proteins. In response to muscle fiber transformation and in muscular dystrophy, the expression levels of HSPB7 are drastically increased, suggesting that HSPB7 may be a useful target in therapeutic strategies for preventing age-related muscle wasting.

Gene ID: 27129

UniProt: Q9UBY9

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IF(IHC-P) 1:50-200

Restrictions: For Research Use only


Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Expiry Date:

12 months

Images



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded mouse stomach muscle labeled with Anti-HSPB7 Polyclonal Antibody, Unconjugated (ABIN1387071) at 1:200 followed by conjugation to the secondary antibody and DAB staining