

Datasheet for ABIN1387156
anti-FRA10AC1 antibody



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	FRA10AC1
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FRA10AC1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human C10orf4/FRA10AC1
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	FRA10AC1
Alternative Name:	C10orf4 (FRA10AC1 Products)
Background:	Synonyms: Chromosome 10 open reading frame 4, F26C11.1 like, FRA10AC1, FRA10AC1 protein, Fragile site 10q23.3, PRO2972, Protein FRA10AC1, Rare folic acid type fragile site FRA10q23.3 candidate gene 1, F10C1_HUMAN.

Target Details

Background: C10orf4, also known as FRA10A or FRA10AC1, is a 315 amino acid nuclear protein that is expressed strongly in kidney, liver, heart, brain and skeletal muscle. Defects in the gene encoding C10orf4 are characterized by an expansion of a polymorphic CGG repeat within the 5'-UTR of the gene, an event that is thought to cause folate-sensitive fragile site FRA10A expression. Expression of this mutated FRA10A protein may be associated with tumorigenesis, neurological disorders and mental retardation. C10orf4 is believed to be conserved between species. Five isoforms of C10orf4, all of which differ in their C-termini, are expressed due to alternative splicing events.

Application Details

Application Notes: WB 1:300-5000
IHC-P 1:200-400
IF(IHC-P) 1:50-200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Expiry Date: 12 months




Image 1. 293T lysates probed with C10orf4 Polyclonal Antibody, Unconjugated at 1:300 dilution and 4°C overnight incubation. Followed by conjugated secondary antibody incubation at 1:10000 for 60 min at 37°C.