# antibodies -online.com





# anti-C1QL2 antibody



Go to Product page

( )	11/0	K\ /	iew	1
	$\cup$	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	C1QL2
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C1QL2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human C1QL2/C1QTNF10
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

# **Target Details**

Target:	C1QL2
Alternative Name:	C1QTNF10 (C1QL2 Products)
Background:	Synonyms: C1q and tumor necrosis factor related protein 10, C1q domain containing protein,
	C1QL2, C1QL2_HUMAN, C1QTNF10, Complement C1q-like protein 2, Complement component
	1, q subcomponent-like 2, CTRP10, gliacolin like.

Background: C1qL2, also known as CTRP10 or C1QTNF10, is a 287 amino acid secreted protein that contains one C1q domain and one collagen-like domain. C1qL2 belongs to a large family of multimeric proteins with a signature globular domain homologous to C1QA. These proteins also share structural homology with TNF family members. The gene that encodes C1qL2 consists of approximately 2,653 bases and maps to human chromosome 2q14.2. Consisting of 237 million bases, chromosome 2 encodes over 1,400 genes and makes up approximately 8 % of the human genome. A number of genetic diseases are linked to genes on chromosome 2. Harlequin icthyosis, a rare and morbid skin deformity, is associated with mutations in the ABCA12 gene. The lipid metabolic disorder sitosterolemia is associated with ABCG5 and ABCG8. An extremely rare recessive genetic disorder, Alstr syndrome, is due to mutations in the ALMS1 gene.

Gene ID:

165257

## **Application Details**

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IF(IHC-P) 1:50-200

Restrictions: For Research Use only

### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months